





Mini industrial coupling with the world's most popular profile in this nominal diameter. Above average flow performance for liquid and gaseous media.
Coupling system with single-hand operation. Small dimensions and large bandwidth in materials and valve variants.

- Available on request:
 - with additional end connections
 - other seals for different temperature ranges and fluids



Euro Profile

Dust Protections  (P. 357)
for Coupling Part.-No. SK16S

KA Single Shut-Off

Working Pressure*:
up to 35 bar

Material:

- Coupling: Brass
- Plug: Brass
- Seals: NBR

Working Temperature:
-20°C up to +100°C (NBR)

Flow Rate Air:
550 l/min.
inlet pressure 6 bar, pressure drop 0.5 bar

Flow Rate Water:
7 l/min.
pressure drop 0.5 bar

KB Double Shut-Off

Working Pressure*:
up to 35 bar

Material:

- Coupling: Brass
- Plug: Brass
- Seals: NBR

Working Temperature:
-20°C up to +100°C (NBR)

Flow Rate Air:
310 l/min.
inlet pressure 6 bar, pressure drop 0.5 bar

Flow Rate Water:
2.7 l/min.
pressure drop 0.5 bar

KL Dry-break

Working Pressure*:
up to 8 bar

Material:

- Coupling: Brass
- Plug: Brass
- Seals: NBR

Working Temperature:
-20°C up to +100°C (NBR)


Flow Rate Water:
2.7 l/min.
pressure drop 0.5 bar

* maximum static working pressure with design factor 4 to 1.


 Single Shut-Off

21KAA Coupler with valve, Male Thread

Brass, NBR




A	Version	HEX	L	L1	D	Version
G1/8	21KAAW10MPX	14	36	7	16	Brass
G1/8	21KAAW10MPN	14	36	7	16	Nickel-plated brass
G1/4	21KAAW13MPX	17	38	9	16	Brass
G1/4	21KAAW13MPN	17	38	9	16	Nickel-plated brass
G3/8	21KAAW17MPX	19	38	9	16	Brass
G3/8	21KAAW17MPN	19	38	9	16	Nickel-plated brass
M10 x 1	21KAAD10MPX	14	37	8	16	Brass
M10 x 1	21KAAD10MPN	14	37	8	16	Nickel-plated brass
M12 x 1.5	21KAAD12MPX	17	39	10	16	Brass
M12 x 1.5	21KAAD12MPN	17	39	10	16	Nickel-plated brass
M14 x 1.5	21KAAD14MPX	17	39	10	16	Brass
M14 x 1.5	21KAAD14MPN	17	39	10	16	Nickel-plated brass


 Single Shut-Off

21KAI Coupler with valve, Female Thread

Brass, NBR




A	Version	HEX	L	L1	D	Version
G1/8	21KAIW10MPX	14	36	9	16	Brass
G1/8	21KAIW10MPN	14	36	9	16	Nickel-plated brass
G1/4	21KAIW13MPX	17	38	9	16	Brass
G1/4	21KAIW13MPN	17	38	9	16	Nickel-plated brass
G3/8	21KAIW17MPX	19	38	9	16	Brass
G3/8	21KAIW17MPN	19	38	9	16	Nickel-plated brass
M12 x 1.5	21KAIM12MPX	17	38	6	16	Brass
M12 x 1.5	21KAIM12MPN	17	38	6	16	Nickel-plated brass
M14 x 1.5	21KAIM14MPX	17	38	6	16	Brass
M14 x 1.5	21KAIM14MPN	17	38	6	16	Nickel-plated brass



Single Shut-Off

21KATF Coupler with valve, Hose Barb


Brass, NBR



A		HEX	L	L1	D	Version
4	21KATF04MPX	14	46	17	16	Brass
4	21KATF04MPN	14	46	17	16	Nickel-plated brass
5	21KATF05MPX	14	46	17	16	Brass
5	21KATF05MPN	14	46	17	16	Nickel-plated brass
6	21KATF06MPX	14	46	17	16	Brass
6	21KATF06MPN	14	46	17	16	Nickel-plated brass
8	21KATF08MPX	14	46	17	16	Brass
8	21KATF08MPN	14	46	17	16	Nickel-plated brass
9	21KATF09MPX	14	46	17	16	Brass
9	21KATF09MPN	14	46	17	16	Nickel-plated brass
10	21KATF10MPX	14	46	17	16	Brass
10	21KATF10MPN	14	46	17	16	Nickel-plated brass

21KAKO Coupler with valve, with Plastic Hose Connection


Brass, NBR




A		HEX	G	L	L1	L2	D	Version
4 x 6	21KAKO06MPX	14	M10x1	42	7	6	16	Brass
4 x 6	21KAKO06MPN	14	M10x1	42	7	6	16	Nickel-plated brass
6 x 8	21KAKO08MPX	14	M12x1	42	7	6	16	Brass
6 x 8	21KAKO08MPN	14	M12x1	42	7	6	16	Nickel-plated brass

21KAKS Coupler with valve, Panel Mount with Plastic Hose Connection

Brass, NBR




A		HEX	HEX1	B	G	L	L1	L2	D	Version
4 x 6	21KAKS06MPX	14	12	3	M10x1	54	7	18	16	Brass
4 x 6	21KAKS06MPN	14	12	3	M10x1	54	7	18	16	Nickel-plated brass
6 x 8	21KAKS08MPX	17	17	4	M12x1	54	7	18	16	Brass
6 x 8	21KAKS08MPN	17	17	4	M12x1	54	7	18	16	Nickel-plated brass



Single Shut-Off

21KATS Coupler with valve, Panel Mount with Hose Barb


Brass, NBR



A		HEX	HEX1	B	G	L	L1	L2	D	Version
4	21KATS04MPX	12	12	4	M10x1	60	17	14	16	Brass
4	21KATS04MPN	12	12	4	M10x1	60	17	14	16	Nickel-plated brass
5	21KATS05MPX	17	17	4	M12x1	60	17	14	16	Brass
5	21KATS05MPN	17	17	4	M12x1	60	17	14	16	Nickel-plated brass
6	21KATS06MPX	17	17	4	M12x1	60	17	14	16	Brass
6	21KATS06MPN	17	17	4	M12x1	60	17	14	16	Nickel-plated brass
8	21KATS08MPX	17	17	4	M12x1	60	17	14	16	Brass
8	21KATS08MPN	17	17	4	M12x1	60	17	14	16	Nickel-plated brass
9	21KATS09MPX	17	19	4	M14x1	60	17	14	16	Brass
9	21KATS09MPN	17	19	4	M14x1	60	17	14	16	Nickel-plated brass
10	21KATS10MPX	17	19	4	M14x1	60	17	14	16	Brass
10	21KATS10MPN	17	19	4	M14x1	60	17	14	16	Nickel-plated brass

21KAKK Coupler with valve, Plastic Hose Connection with Spring Guard


Brass, NBR




A		HEX	G	L	L1	L2	D	Version
4 x 6	21KAKK06MPX	14	M10x1	125	7	6	16	Brass
4 x 6	21KAKK06MPN	14	M10x1	125	7	6	16	Nickel-plated brass
6 x 8	21KAKK08MPX	14	M10x1	130	7	6	16	Brass
6 x 8	21KAKK08MPN	14	M10x1	130	7	6	16	Nickel-plated brass

21KARP Coupler with valve, Push-In

Nickel-plated brass, NBR




A		HEX	L	D	D1
6	21KARP06MPN	14	43.5	16	13.3
8	21KARP08MPN	17	48	16	15.3



Single Shut-Off

21SFA Plug without valve, Male Thread


Brass




A			HEX	L	L1	Version
G1/8	21SAW10MXX		14	25	7	Brass
G1/8	21SAW10MXX	9087 21 10	14	25	7	Nickel-plated brass
G1/4	21SAW13MXX		17	28	9	Brass
G1/4	21SAW13MXX	9087 21 13	17	28	9	Nickel-plated brass
G3/8	21SAW17MXX		19	28	9	Brass
G3/8	21SAW17MXX		19	28	9	Nickel-plated brass
M10 x 1	21SFAD10MXX		14	26	8	Brass
M10 x 1	21SFAD10MXX		14	26	8	Nickel-plated brass
M12 x 1.5	21SFAD12MXX		17	28	10	Brass
M12 x 1.5	21SFAD12MXX		17	28	10	Nickel-plated brass
M14 x 1.5	21SFAD14MXX		17	28	10	Brass
M14 x 1.5	21SFAD14MXX		17	28	10	Nickel-plated brass

21SFI Plug without valve, Female Thread

Brass




A			HEX	L	L1	Version
G1/8	21SFIW10MXX		14	25	8	Brass
G1/8	21SFIW10MXX	9086 21 10	14	25	8	Nickel-plated brass
G1/4	21SFIW13MXX		17	25	9	Brass
G1/4	21SFIW13MXX	9086 21 13	17	25	9	Nickel-plated brass
G3/8	21SFIW17MXX		19	26	9	Brass
G3/8	21SFIW17MXX		19	26	9	Nickel-plated brass
M12 x 1.5	21SFIM12MXX		17	27	10	Brass
M12 x 1.5	21SFIM12MXX		17	27	10	Nickel-plated brass
M14 x 1.5	21SFIM14MXX		17	27	10	Brass
M14 x 1.5	21SFIM14MXX		17	27	10	Nickel-plated brass



Single Shut-Off

21SFTF Plug without valve, Hose Barb


Brass



A			L	L1	D	Version
4	21SFTF04MXX		32	17	9	Brass
4	21SFTF04MXX	9085 21 04	32	17	9	Nickel-plated brass
5	21SFTF05MXX		32	17	9	Brass
5	21SFTF05MXX		32	17	9	Nickel-plated brass
6	21SFTF06MXX		32	17	9	Brass
6	21SFTF06MXX	9085 21 06	32	17	9	Nickel-plated brass
8	21SFTF08MXX		32	17	9	Brass
8	21SFTF08MXX	9085 21 08	32	17	9	Nickel-plated brass
9	21SFTF09MXX		33	17	10	Brass
9	21SFTF09MXX		33	17	10	Nickel-plated brass
10	21SFTF10MXX		33	17	12	Brass
10	21SFTF10MXX		33	17	12	Nickel-plated brass

21SFK0 Plug without valve, with Plastic Hose Connection


Brass



A			G	L	L1	L2	D	Version
4 x 6	21SFK006MXX		M10x1	32	6	6	10	Brass
4 x 6	21SFK006MXX		M10x1	32	6	6	10	Nickel-plated brass
6 x 8	21SFK008MXX		M12x1	32	6	6	12	Brass
6 x 8	21SFK008MXX		M12x1	32	6	6	12	Nickel-plated brass

21SFKS Plug without valve, Panel Mount with Plastic Hose Connection

Brass




A		HEX	HEX1	B	G	L	L1	L2	Version
4 x 6	21SFKS06MXX	14	12	3	M10x1	43	7	18	Brass
4 x 6	21SFKS06MXX	14	12	3	M10x1	43	7	18	Nickel-plated brass
6 x 8	21SFKS08MXX	14	17	4	M12x1	44	7	18	Brass
6 x 8	21SFKS08MXX	14	17	4	M12x1	44	7	18	Nickel-plated brass



Single Shut-Off

21SFTS Plug without valve, Panel Mount with Hose Barb


Brass



A		HEX	HEX1	B	G	L	L1	L2	Version
4	21SFTS04MXX	14	14	3	M10x1	50	17	14	Brass
4	21SFTS04MXN 9095 21 04	14	14	3	M10x1	50	17	14	Nickel-plated brass
5	21SFTS05MXX	14	17	4	M12x1	50	17	14	Brass
5	21SFTS05MXN	14	17	4	M12x1	50	17	14	Nickel-plated brass
6	21SFTS06MXX	14	17	4	M12x1	50	17	14	Brass
6	21SFTS06MXN 9095 21 06	14	17	4	M12x1	50	17	14	Nickel-plated brass
8	21SFTS08MXX	14	17	4	M12x1	50	17	14	Brass
8	21SFTS08MXN 9095 21 08	14	17	4	M12x1	50	17	14	Nickel-plated brass

21SFKK Plug without valve, Plastic Hose Connection with Spring Guard


Brass



A		G	L	L1	L2	D	Version
4 x 6	21SFKK06MXX	M10x1	115	6	6	10	Brass
4 x 6	21SFKK06MXN	M10x1	115	6	6	10	Nickel-plated brass
6 x 8	21SFKK08MXX	M12x1	120	6	6	12	Brass
6 x 8	21SFKK08MXN	M12x1	120	6	6	12	Nickel-plated brass

21SFRP Plug without valve, Push-In

Nickel-plated brass, NBR




A		HEX	L	D
6	21SFRP06MPN	14	30.5	13.3
8	21SFRP08MPN	17	37	15.3



Double Shut-off

21KBA Coupler with valve, Male Thread


Brass, NBR




A		HEX	L	L1	D	Version
G1/8	21KBAW10MPX	14	36	7	16	Brass
G1/8	21KBAW10MPN 9201 21 10	14	36	7	16	Nickel-plated brass
G1/4	21KBAW13MPX	17	38	9	16	Brass
G1/4	21KBAW13MPN 9201 21 13	17	38	9	16	Nickel-plated brass
G3/8	21KBAW17MPX	19	38	9	16	Brass
G3/8	21KBAW17MPN	19	38	9	16	Nickel-plated brass
M10 x 1	21KBAD10MPX	14	37	8	16	Brass
M10 x 1	21KBAD10MPN	14	37	8	16	Nickel-plated brass
M12 x 1.5	21KBAD12MPX	17	39	10	16	Brass
M12 x 1.5	21KBAD12MPN	17	39	10	16	Nickel-plated brass
M14 x 1.5	21KBAD14MPX	17	39	10	16	Brass
M14 x 1.5	21KBAD14MPN	17	39	10	16	Nickel-plated brass

21KBI Coupler with valve, Female Thread

Brass, NBR




A		HEX	L	L1	D	Version
G1/8	21KBIW10MPX	14	36	9	16	Brass
G1/8	21KBIW10MPN 9214 21 10	14	36	9	16	Nickel-plated brass
G1/4	21KBIW13MPX	17	38	9	16	Brass
G1/4	21KBIW13MPN 9214 21 13	17	38	9	16	Nickel-plated brass
G3/8	21KBIW17MPX	19	38	9	16	Brass
G3/8	21KBIW17MPN	19	38	9	16	Nickel-plated brass
M12 x 1.5	21KBIM12MPX	17	38	6	16	Brass
M12 x 1.5	21KBIM12MPN	17	38	6	16	Nickel-plated brass
M14 x 1.5	21KBIM14MPX	17	38	6	16	Brass
M14 x 1.5	21KBIM14MPN	17	38	6	16	Nickel-plated brass



Double Shut-off

21KBTF Coupler with valve, Hose Barb

Brass, NBR




A		HEX	L	L1	D	Version
4	21KBTF04MPX	14	46	17	16	Brass
4	21KBTF04MPN	9223 21 04	14	46	17	Nickel-plated brass
5	21KBTF05MPX	14	46	17	16	Brass
5	21KBTF05MPN	14	46	17	16	Nickel-plated brass
6	21KBTF06MPX	14	46	17	16	Brass
6	21KBTF06MPN	9223 21 06	14	46	17	Nickel-plated brass
8	21KBTF08MPX	14	46	17	16	Brass
8	21KBTF08MPN	9223 21 08	14	46	17	Nickel-plated brass
9	21KBTF09MPX	14	46	17	16	Brass
9	21KBTF09MPN	14	46	17	16	Nickel-plated brass
10	21KBTF10MPX	14	46	17	16	Brass
10	21KBTF10MPN	14	46	17	16	Nickel-plated brass



Double Shut-off

21KBTS Coupler with valve, Panel Mount with Hose Barb


Brass, NBR



A		HEX	HEX1	B	G	L	L1	L2	D	Version
4	21KBTS04MPX	14	14	3	M10x1	60	17	14	16	Brass
4	21KBTS04MPN	9226 21 04	14	14	3	M10x1	60	17	14	Nickel-plated brass
5	21KBTS05MPX	17	17	4	M12x1	60	17	14	16	Brass
5	21KBTS05MPN	17	17	4	M12x1	60	17	14	16	Nickel-plated brass
6	21KBTS06MPX	17	17	4	M12x1	60	17	14	16	Brass
6	21KBTS06MPN	9226 21 06	17	17	4	M12x1	60	17	14	Nickel-plated brass
8	21KBTS08MPX	17	17	4	M12x1	60	17	14	16	Brass
8	21KBTS08MPN	9226 21 08	17	17	4	M12x1	60	17	14	Nickel-plated brass
9	21KBTS09MPX	17	19	4	M12x1	60	17	14	16	Brass
9	21KBTS09MPN	17	19	4	M12x1	60	17	14	16	Nickel-plated brass
10	21KBTS10MPX	17	19	4	M14x1	60	17	14	16	Brass
10	21KBTS10MPN	17	19	4	M14x1	60	17	14	16	Nickel-plated brass

21KBKO Coupler with valve, with Plastic Hose Connection


Brass, NBR



A		HEX	G	L	L1	L2	D	Version
4 x 6	21KBKO06MPX	14	M10x1	42	7	6	16	Brass
4 x 6	21KBKO06MPN	14	M10x1	42	7	6	16	Nickel-plated brass
6 x 8	21KBKO08MPX	14	M12x1	42	7	6	16	Brass
6 x 8	21KBKO08MPN	14	M12x1	42	7	6	16	Nickel-plated brass

21KBKK Coupler with valve, Plastic Hose Connection with Spring Guard


Brass, NBR



A		HEX	G	L	L1	L2	D	Version
4 x 6	21KBKK06MPX	14	M10x1	125	7	6	16	Brass
4 x 6	21KBKK06MPN	14	M10x1	125	7	6	16	Nickel-plated brass
M12 x 1	21KBKK08MPX	14	M10x1	130	7	6	16	Brass
M12 x 1	21KBKK08MPN	14	M10x1	130	7	6	16	Nickel-plated brass

21KBKS Coupler with valve, Panel Mount with Plastic Hose Connection


Brass, NBR




A		HEX	HEX1	B	G	L	L1	L2	D	Version
4 x 6	21KBKS06MPX	14	12	3	M10x1	54	7	18	16	Brass
4 x 6	21KBKS06MPN	14	12	3	M10x1	54	7	18	16	Nickel-plated brass
6 x 8	21KBKS08MPX	17	17	4	M12x1	54	7	18	16	Brass
6 x 8	21KBKS08MPN	17	17	4	M12x1	54	7	18	16	Nickel-plated brass

21KBRP Coupler with valve, Push-In

Nickel-plated brass, NBR




A		HEX	L	D	D1
6	21KBRP06MPN	14	43.5	16	13.3
8	21KBRP08MPN	17	48	16	15.3



Double Shut-off

21SBA Plug with valve, Male Thread


Brass, NBR




A			HEX	L	L1	Version
G1/8			14	40	7	Brass
G1/8			14	40	7	Nickel-plated brass
G1/4			17	42	9	Brass
G1/4			17	42	9	Nickel-plated brass
G3/8			19	42	9	Brass
G3/8			19	42	9	Nickel-plated brass
M10 x 1			14	41	8	Brass
M10 x 1			14	41	8	Nickel-plated brass
M12 x 1.5			17	43	10	Brass
M12 x 1.5			17	43	10	Nickel-plated brass
M14 x 1.5			17	43	10	Brass
M14 x 1.5			17	43	10	Nickel-plated brass

21SBI Plug with valve, Female Thread

Brass, NBR




A			HEX	L	L1	Version
G1/8			14	40	7	Brass
G1/8			14	40	7	Nickel-plated brass
G1/4			17	42	7	Brass
G1/4			17	42	7	Nickel-plated brass
G3/8			19	42	7	Brass
G3/8			19	42	7	Nickel-plated brass
M12 x 1.5			17	42	7	Brass
M12 x 1.5			17	42	7	Nickel-plated brass
M14 x 1.5			17	42	7	Brass
M14 x 1.5			17	42	7	Nickel-plated brass



Double Shut-off

21SBTF Plug with valve, Hose Barb


Brass, NBR



A			HEX	L	L1	Version
4			14	50	17	Brass
4			14	50	17	Nickel-plated brass
5			14	50	17	Brass
5			14	50	17	Nickel-plated brass
6			14	50	17	Brass
6			14	50	17	Nickel-plated brass
8			14	50	17	Brass
8			14	50	17	Nickel-plated brass
9			14	50	17	Brass
9			14	50	17	Nickel-plated brass
10			14	50	17	Brass
10			14	50	17	Nickel-plated brass

21SBKO Plug with valve, with Plastic Hose Connection


Brass, NBR




A			HEX	G	L	L1	L2	Version
4 x 6			14	M10x1	46	7	6	Brass
4 x 6			14	M10x1	46	7	6	Nickel-plated brass
6 x 8			14	M12x1	46	7	6	Brass
6 x 8			14	M12x1	46	7	6	Nickel-plated brass

21SBKS Plug with valve, Panel Mount with Plastic Hose Connection

Brass, NBR




A			HEX	HEX1	B	G	L	L1	L2	Version
4 x 6			14	12	3	M10x1	58	7	18	Brass
4 x 6			14	12	3	M10x1	58	7	18	Nickel-plated brass
6 x 8			17	17	4	M12x1	58	7	18	Brass
6 x 8			17	17	4	M12x1	58	7	18	Nickel-plated brass



Double Shut-off

21SBTS Plug with valve, Panel Mount with Hose Barb


Brass, NBR



A		HEX	HEX1	B	G	L	L1	L2	Version
4	21SBTS04MPX	14	14	3	M10x1	64	17	14	Brass
4	21SBTS04MPN	14	14	3	M10x1	64	17	14	Nickel-plated brass
5	21SBTS05MPX	14	14	4	M10x1	64	17	14	Brass
5	21SBTS05MPN	14	14	4	M10x1	64	17	14	Nickel-plated brass
6	21SBTS06MPX	14	17	4	M12x1	64	17	14	Brass
6	21SBTS06MPN	14	17	4	M12x1	64	17	14	Nickel-plated brass
8	21SBTS08MPX	14	17	4	M12x1	64	17	14	Brass
8	21SBTS08MPN	14	17	4	M12x1	64	17	14	Nickel-plated brass
9	21SBTS09MPX	14	17	4	M12x1	64	17	14	Brass
9	21SBTS09MPN	14	17	4	M12x1	64	17	14	Nickel-plated brass
10	21SBTS10MPX	14	19	4	M14x1	64	17	14	Brass
10	21SBTS10MPN	14	19	4	M14x1	64	17	14	Nickel-plated brass

21SBKK Plug with valve, Plastic Hose Connection with Spring Guard


Brass, NBR



A		HEX	G	L	L1	L2	Version
4 x 6	21SBKK06MPX	14	M10x1	130	7	6	Brass
4 x 6	21SBKK06MPN	14	M10x1	130	7	6	Nickel-plated brass
6 x 8	21SBKK08MPX	14	M12x1	135	7	6	Brass
6 x 8	21SBKK08MPN	14	M12x1	135	7	6	Nickel-plated brass

21SBRP Plug with valve, Push-In

Nickel-plated brass, NBR




A		HEX	L
4 x 6	21SBRP06MPN	14	47.5
6 x 8	21SBRP08MPN	17	47.5



Dry-Break

21KLAW Coupler with valve, Male Thread


Nickel-plated brass, NBR



A		HEX	L	L1	D
G1/8	21KLAW10MPN	14	36	7	16
G1/4	21KLAW13MPN	17	38	9	16
G3/8	21KLAW17MPN	19	38	9	16

21KLIW Coupler with valve, Female Thread


Nickel-plated brass, NBR



A		HEX	L	L1	D
G1/8	21KLIW10MPN	14	36	9	16
G1/4	21KLIW13MPN	17	38	9	16
G3/8	21KLIW17MPN	19	38	9	16

21KLTF Coupler with valve, Hose Barb


Nickel-plated brass, NBR



A		HEX	L	L1	D
4	21KLTF04MPN	14	46	17	16
6	21KLTF06MPN	14	46	17	16
8	21KLTF08MPN	14	46	17	16
9	21KLTF09MPN	14	46	17	16
10	21KLTF10MPN	14	46	17	16

21KLKO Coupler with valve, with Plastic Hose Connection

Nickel-plated brass, NBR




A		HEX	G	L	L1	L2	D
4 x 6	21KLKO06MPN	14	M10x1	42	7	6	16
6 x 8	21KLKO08MPN	14	M12x1	42	7	6	16



Dry-Break

21KLKS Coupler with valve, Panel Mount with Plastic Hose Connection


Nickel-plated brass, NBR



A	HEX	HEX1	B	G	L	L1	L2	D	
4 x 6	21KLKS06MPN	14	14	3	M10x1	54	7	18	16
6 x 8	21KLKS08MPN	17	17	4	M12x1	54	7	18	16

21KLTS Coupler with valve, Panel Mount with Hose Barb


Nickel-plated brass, NBR



A	HEX	HEX1	B	G	L	L1	L2	D	
5	21KLTS05MPN	17	17	4	M12x1	60	17	14	16
6	21KLTS06MPN	17	17	4	M12x1	60	17	14	16

21KLKK Coupler with valve, Plastic Hose Connection with Spring Guard


Nickel-plated brass, NBR



A	HEX	G	L	L1	L2	D	
4 x 6	21KLKK06MPN	14	M10x1	125	7	6	16
6 x 8	21KLKK08MPN	14	M10x1	130	7	6	16

21SLAW Plug with valve, Male Thread

Nickel-plated brass, NBR




A	HEX	L	L1	
G1/8	21SLAW10MPN	14	40	7
G1/4	21SLAW13MPN	17	42	9
G3/8	21SLAW17MPN	19	42	9



Dry-Break

21SLIW Plug with valve, Female Thread


Nickel-plated brass, NBR



A	HEX	L	L1	
G1/8	21SLIW10MPN	14	40	7
G1/4	21SLIW13MPN	17	42	7
G3/8	21SLIW17MPN	19	42	7

21SLTF Plug with valve, Hose Barb


Nickel-plated brass, NBR



A	HEX	L	L1	
4	21SLTF04MPN	14	50	17
6	21SLTF06MPN	14	50	17
8	21SLTF08MPN	14	50	17
9	21SLTF09MPN	14	50	17
10	21SLTF10MPN	14	50	17

21SLKO Plug with valve, with Plastic Hose Connection


Nickel-plated brass, NBR



A	HEX	G	L	L1	L2	
4 x 6	21SLKO06MPN	14	M10x1	46	7	6
6 x 8	21SLKO08MPN	14	M12x1	46	7	6

21SLKS Plug with valve, Panel Mount with Plastic Hose Connection

Nickel-plated brass, NBR





A	HEX	HEX1	B	G	L	L1	L2	
4 x 6	21SLKS06MPN	14	12	3	M10x1	58	7	18
6 x 8	21SLKS08MPN	14	17	4	M12x1	58	7	18



Dry-Break

21SLTS Plug with valve, Panel Mount with Hose Barb


Nickel-plated brass, NBR



A		HEX	HEX1	B	G	L	L1	L2
5	21SLTS05MPN	14	14	4	M12x1	64	17	14
6	21SLTS06MPN	14	17	4	M12x1	64	17	14

21SLKK Plug with valve, Plastic Hose Connection with Spring Guard

Nickel-plated brass, NBR



A		HEX	G	L	L1	L2
4 x 6	21SLKK06MPN	14	M10x1	130	7	6
6 x 8	21SLKK08MPN	14	M12x1	135	7	6